EXHIBIT 2-Z

ASBESTOS REGULATIONS

http://deq.mt.gov/Asbestos/default.mcpx

This article taken from the Fall 2003 edition of <u>Big Sky Clearwater</u>, published by the Montana Department of Environmental Quality (DEQ), discusses some of the asbestos regulations that relate to public and commercial building owners; it also provides some ways of dealing with asbestos containing materials (ACM).

For additional information, contact the *Montana DEQ Asbestos Control Program*: (406) 444-5300

http://deq.mt.gov/Asbestos/default.mcpx

and

http://svc.mt.gov/deg/mail/AsbestosMail.asp

Please note: Various asbestos regulations apply to each asbestos situation. Asbestos regulations that apply to public and commercial buildings differ from those that apply to schools, single-family dwellings, and other buildings. The intent of asbestos regulations is to prevent asbestos releases and exposures.

As a Public or Commercial Building Owner, What Asbestos Regulations Govern My Asbestos and Me?

In Montana, activities involving asbestos in commercial buildings are governed by one or more regulatory authorities, such as State of Montana DEQ, Federal EPA, and OSHA; in many cases jurisdictions and regulations overlap.

The Asbestos Control Program of the Department of Environmental Quality (DEQ) regulates and permits asbestos abatement projects, accredits asbestos-related occupations, provides compliance assistance, and administers certain sections of the Environmental Protection Agency's National Emission Standards for Hazardous Air Pollutants (NESHAP) regulation. The Asbestos Control Program regulates asbestos abatement activities involving three (3) or more square or linear feet of ACM. Asbestos abatement activities must be permitted through the Asbestos Control Program and must be conducted by accredited asbestos personnel following proper asbestos abatement, transportation, and disposal procedures.

Most of the asbestos activity in Montana involves building renovation and demolition activities. The NESHAP has a specific standard that addresses building renovations and demolitions; 40 CFR 61.145. In order to determine which requirements apply to a building owner or contractor of a renovation or demolition, an asbestos inspection is required. An asbestos inspection not only locates, quantifies, and assesses the condition of asbestos, it also provides information as to whether an asbestos containing material is regulated and regulated by which authority. According to EPA and Asbestos Control Program regulations, an accredited asbestos inspector must perform the asbestos inspection. Typically, samples of suspect asbestos containing materials are collected by the inspector for laboratory analysis. Sample analytical costs range from \$15-30/sample. Asbestos Control Program regulations require sample analysis be done by a laboratory approved by the National Institute of Standards and Technology (NIST). In some cases it can be assumed a material contains asbestos, saving an owner some money.

The [Montana DEQ] Asbestos Control Program maintains a list of accredited and approved

asbestos inspectors and laboratories available for your reference. Contact them for specific cost and inspection information.

In a demolition or renovation where regulated ACM is identified by the asbestos inspection, the regulated ACM would need to be removed by an accredited asbestos abatement contractor following proper abatement procedures under an asbestos abatement project permit issued by the Asbestos Control Program. The building owner or abatement contractor would apply for the permit using a form available from the Asbestos Control Program called the "Montana Asbestos Abatement Project Permit Application and NESHAP Demolition/Renovation Notification." A permit fee based on the asbestos abatement contract volume would apply. A seven (7) or ten (10) day notification period, depending on the asbestos abatement contract volume, would also apply.

In a demolition where no regulated ACM is identified by the asbestos inspection, the owner or demolition contractor must notify the Asbestos Control Program of the demolition using the same form as above, "Montana Asbestos Abatement Project Permit Application and NESHAP Demolition/Renovation Notification." No fee applies to demolition notifications where no regulated ACM is identified; however, a ten (10) day notification period is required.

In a renovation where no ACM is identified by the asbestos inspection, no notification to the Asbestos Control Program is required!

Even though the Asbestos Control Program is delegated by EPA to administer the NESHAP, EPA is also active in Montana regulating asbestos on Indian Reservations, in private and public kindergarten through twelfth grade schools, and other buildings. Montana is part of EPA's Region VIII including North and South Dakota, Wyoming, Utah, and Colorado.

Another asbestos authority is Federal OSHA (Occupational Safety and Health Administration). OSHA regulates worker safety and health as they relate to asbestos in the general and construction industries. Prior to initiating construction activities, OSHA's asbestos standard also requires an asbestos inspection as part of its hazard communication requirement. The Asbestos Control Program's regulations have adopted by reference some of OSHA's asbestos regulations; however, for more complete information on OSHA's regulatory requirements, contact OSHA's office in Billings at (800) 488-7087.

City or county governments such as local building permitting offices or local environmental health or sanitarian's office may also have asbestos requirements, contact them before initiating demolition or renovation work. City or county governments issue building permits for general renovation/demolition activities; however, don't be tricked assuming that permit will satisfy the Asbestos Control Programs asbestos abatement permit and demolition/renovation notification requirements.

A final asbestos authority is the landfill. Prior to initiating asbestos work, contact your local landfill and learn about their asbestos disposal requirements. In many cases landfills do not accept ACM and the last place you want to learn that is at a landfill's gate. According to State of Montana Refuse Disposal Rules and the Asbestos Control Program regulations, asbestos must be disposed of in a State-approved Class II landfill.

Options: A Solution Exists!

At this point you may be scratching your head over asbestos regulations; however, rest assured that regulations exist to prevent asbestos exposure; they also may assist in limiting certain liabilities. As an owner of a commercial building that may contain asbestos, you have a few options. Armed with an asbestos inspection telling you where ACM is located, one option is to leave the ACM in place. If

you do not have plans to renovate or demolish your building, the option of leaving the ACM in place is economical. Providing the ACM is in good condition, not causing exposures, and not prone to damage, the ACM can be left in place, managed, and monitored periodically for damage.

A second option is to encapsulate the ACM. Encapsulation involves treating the ACM with a substance that surrounds or embeds asbestos fibers. There are commercially available encapsulants and mastics specifically manufactured for such applications.

Another option is enclosure. Enclosure involves installing an airtight, impermeable, and permanent barrier around the ACM to prevent the release of asbestos. Removal is another option involving the physical removal of the material. Removal may be the only option in building demolitions or renovations.

Encapsulation, enclosure, and removal fall into the definition of asbestos abatement. In Montana, asbestos abatement actions include encapsulation, enclosure, removal, repair, renovation, placement in new construction, demolition, transportation, and disposal of friable or potentially friable asbestos containing material. Abatement actions of three (3) or more square or linear feet of ACM must be permitted through the Asbestos Control Program.

As mentioned earlier, accredited asbestos personnel following proper abatement, transportation, and disposal procedures must perform abatement actions. The Asbestos Control Program has lists of accredited asbestos personnel available for your reference.

Asbestos regulations and abatement options can be confusing; however, we at the Montana DEQ Asbestos Control Program are available to discuss your asbestos issues, so before you deal with asbestos, contact us at the Asbestos Control Program for compliance assistance:

Montana Department of Environmental Quality Asbestos Control Program

1520 E. Sixth Avenue P.O. Box 200901 Helena, MT 59620-0901

Office Phone: 406-444-5300 Fax: 406-444-1374

http://deq.mt.gov/Asbestos/default.mcpx and http://svc.mt.gov/deq/mail/AsbestosMail.asp



Asbestos Control Program • P.O. Box 200901 • Helena MT 59620-0901 • (406) 444-5300

ASBESTOS CONSULTANTS/CONTRACTORS/LABORATORIES

ASBESTOS CONSULTANTS

ACM

Lyn Lang P.O. Box 324 East Helena, MT (406) 431-7457

ASPEN CONSULTING & ENGINEERING, INC.

Alice M. Santos P.O. Box 4822 Helena, MT 59604 (406) 457-5188

CA-I

Norm Irish 2638 Rimrock Road Billings, MT 59102 (406) 656-0718 Fax: (406) 656-6910

CASNE & ASSOCIATES, INC.

Ed Casne P O Box 5957 Helena, MT 59604 (406) 443-1656 Fax: (406) 449-3845

EASTERN MONTANA ENVIRONMENTAL

Dave Hrubes #1 Royal Avenue Richey, MT 59259 (406) 773-5889 Fax: (406) 773-5554

FALLS ENVIRONMENTAL

Cheyenne Evanson PO Box 313 Black Eagle, MT 59414 (406) 727-3578 office (406) 590-1171 cell

INDUSTRIAL SAFETY & CONSULTING

Ralph DeLong P O Box 9217 Helena, MT 59604 (406) 443-3369 or (888) 844-3369

MAXIM TECHNOLOGIES, INC.

Roger W. Herman, Jr. 600 South 25th Street P O Box 30615 Billings, MT 59107 Voice: (406) 248-9161 Fax: (406) 248-9282

Fax: (406) 443-0733

Roger Herman Jr 201 S. Wallace #B3A Bozeman, MT 59715 (406) 582-8780-Bozeman (406) 248-9161-Billings

Richard Leferink & Dave Simonson 303 Irene Street (59601) P.O. Box 4699 (59604) Helena, MT (406) 443-5210 Fax: (406) 449-3729

Don May 2436 Dixon P.O. Box 2730 Missoula, MT 59806 (406) 543-3045 Fax: (406) 543-3088

Peter Klevberg 1601 2nd Avenue North Great Falls, MT 59401-3259 (406) 453-1641 Fax: (406) 771-0743

MCS ENVIRONMENTAL, MOUNTAIN LABS

Wade Johnston & Dan Bennett 5562 Alloy South Missoula, MT 59808-9621 (406) 728-7755 or (800) 735-7095 Fax: (406) 728-7367

MORRISON MAIERLE

Tom Heinecke 1228 Whitefish Stage Rd. Unit 3A Kalispell, MT 59901 (406) 752-2216 Fax: (406) 752-2391 Great Falls, MT 59401-3259 (406) 453-1641 Fax: (406) 771-0743

NORTHERN BUILDING INSPECTION SERVICE

Ken Whitaker P O Box 333 Denton, MT 59430 (406) 567-2438

NORTHERN INDUSTRIAL HYGIENE

Kevin Oliver 100 North 27th Street, Suite 550 Billings, MT 59101 (406) 245-7766 Fax: (406) 254-1428

PIONEER ENGINEERING, INC.

Walter Ware P.E. 409 Timmons Box 756 Scobey, MT 59263 (406) 487-5170

303 Irene Street (59601) P.O. Box 4699 (59604) Helena, MT (406) 443-5210 Fax: (406) 449-3729

Don May 2436 Dixon P.O. Box 2730 Missoula, MT 59806 (406) 543-3045 Fax: (406) 543-3088

Richard Leferink & Dave Simonson 303 Irene Street (59601) P.O. Box 4699 (59604) Helena, MT (406) 443-5210 Fax: (406) 449-3729

Don May 2436 Dixon P.O. Box 2730 Missoula, MT 59806 (406) 543-3045 Fax: (406) 543-3088

Peter Klevberg 1601 2nd Avenue North

RESOURCE TECHNOLOGIES, INC.

Cal Zanella 601 Nikles Drive, Suite 14 Bozeman, MT 59715 (406) 585-8005 Fax: (406) 585-0069

TERRACON CONSULTANTS WESTERN, INC.

Merle Listoe & Rick Foust 2110 Overland Ave., Suite 124 Billings, MT 59102 (406) 656-3072

Fax: (406) 656-3578

"Y" ENVIRONMENTAL

Yon Malkuch PO Box 433 Sheridan, WY 82801 (307) 672-3937 Fax: (307) 674-6334

ASBESTOS CONTRACTORS

BRICKLEY CONSTRUCTION CO., INC.

Bruce Ingraham & Jim Chelini 222 E. Park Butte, MT 59701 (406) 723-7885

Fax: (406) 723-7886

ENVIROCON, INC.

Michael S. Stevenson PO Box 16655 Missoula, MT 59808 (406) 523-1181

ENVIRONMENTAL CONTRACTORS

Frank Kolendich & Steve Shroeder P O Box 80107 Billings, MT 59108 (406) 652-6337 Fax: (406) 652-1724

Craig Foust & Steve Schaff PO Box 459 Missoula, MT 59806 (406) 327-0271 Fax: (406) 327-0276

ENVIRONMENTAL MANAGEMENT SERVICES

Richard Galbraith P.O. Box 4598 Helena, MT 59604 (406) 227-5614

FALLS ENVIRONMENTAL

Cheyenne Evanson PO Box 313 Black Eagle, MT 59414 (406) 727-3578 office (406) 590-1171 cell

INTERSTATE INSULATION AND CONTRACTING

Dallas Cranford, Owner Randy Warnke, President 3010 Rimrock Road Billings, MT 59102 (406) 655-3388

IRS ENVIRONMENTAL, INC.

Robert Reed & Carl Burnham East 12415 Trent Spokane, WA 99216 (509) 927-7867 Fax: (509) 928-3933

JACKS TECHNICAL ASSISTANCE, INC.

Jack Campbell #4 Wood Court Helena, MT 59601 (406) 443-1392

QUALITY URETHANE

Curt Bedwell 808 4th Avenue SW Great Falls, MT 59404 (406) 727-8103 Fax: (406) 454-0731

SAFETECH, INC.

Leonard Cranford 4515 Rimrock Road Billings, MT 59106 (406) 651-0011 Fax: (406) 651-027

SCOTT FITZPATRICK

PO Box 1729 Helena, MT 59624 (406) 439-1979

SPECIALTY CONTRACTORS, INC.

Lowell Thomson & Jim Gwinn P O Box 998 Post Falls, ID 83834-9980 (509) 535-0666 Fax: (509) 536-9672

WESTERN STATES ABATEMENT

Dick Galbraith P O Box 4598 Helena, MT 59604 (406) 227-5614 Fax: (406) 227-5606

Wayne Schwoob P O Box 16105 Missoula, MT 59808-6105 (406) 543-4093

Fax: (406) 543-4872

LABORATORIES (PLM, PCM, TEM, SEM)

NORTHERN ANALYTICAL LABORATORIES, INC.

Kathy Smit PO Box 30315/602 South 25th Street Billings, MT 59107 (406) 254-7226 Fax: (406) 254-1389

BRAUN INTERTEC ENVIRONMENTAL, INC.

Beth Regan & Steve Felton 6875 Washington Avenue South PO Box 39108 Minneapolis, MN 55439-0108 (612) 942-4828 Fax: (612) 942-4844

EMSL ANALYTICAL, INC

107 Hadden Avenue Westmont, NJ 08108 (800) 220-3675

RESERVOIRS ENVIRONMENTAL SERVICES, INC.

Robert Dickson & Paul LoScalzo 1827 Grant Street Denver, CO 80203 (303) 830-1986 or (800) 678-7374 Fax: (303) 863-9196

MCS ENVIRONMENTAL/MOUNTAIN LABS

Wade Johnston & Dan Bennett 5562 Alloy South Missoula, MT 59808-9621 (406) 728-7755 or (800) 735-7095 Fax: (406) 728-7367



DISCLAIMER: This list is for informational purposes only. Asbestos-related work must be performed by state-accredited asbestos personnel. Prior to hiring an asbestos contractor, consultant, or laboratory verify that the personnel or lab are accredited. You may call the Program for such information at (406) 444-3490 Last Update: November 14, 2018 G:\AWM\Web Support\Asbestos\ACP_Cons_Cont_Lab_lst.doc